



Vlastnosti

Vzduchová clona Rotowind SB-BB

- Proiectat special pentru a putea fi instalat la orice fel de u?? rotativ?. Dou? aspecte posibile, dimensiuni personalizate.
- Carcas? autoportant? f?cut? din plac? de o?el galvanizat, finisat? standard cu o vopsea structurat? RAL9016, de culoare alb?, din epoxi-poliester.Alte culori sau o?el inoxidabil, disponibile la cerere.
- Grilaj de admisie larg, fa?etat, f?r? mentenan?? intensiv?.
- Palete de evacuare circulare din aluminiu anodizat, cu form? aerodinamic?.
- Ventilatoare centrifugale cu dubl? admisie, alimentate de motor extern cu rotor ?i cu zgomot redus. Selector de 5 viteze.Modele EC asamblate cu ventilatoare eficiente cu consum redus.
- Tip "P", pentru bobin? de încălzire pe ap?.Tip "E" cu componente protejate electric, trei stadii cu ajustare integrat?.Tip "A" f?r? încălzire, doar aer.Bobin? de expansiune DX op?ional?.
- Advanced Plug&Play control. Includes: Advanced PRO control with LCD display and integrated thermostat, door contact, 10m and remote control. With integrated functions: door delay (configurable); interface mode; operation, alarm and maintenance warning signals; and multiple digital inputs that modify the air curtain's operation.
- Includes protective varnish for the electronic board and control.
- Optional:
  - Auxiliary temperature sensors that improve air curtain control and increase energy savings.
  - Clever PRO intelligent control (automatic, programmable, ModBus via PLC, timer, etc.) with an additional temperature sensor.

Specificace

50Hz

| Neohříváná     |        |  |     |  |
|----------------|--------|--|-----|--|
| Model          | (m³/h) |  | (m) |  |
| ROTO BB 1000 A | 5-7    |  |     |  |
| ROTO BB 1500 A | 5-7    |  |     |  |
| ROTO BB 2000 A | 5-7    |  |     |  |
| ROTO BB 2500 A | 5-7    |  |     |  |
| ROTO SB 1000 A | 3,5-5  |  |     |  |
| ROTO SB 1500 A | 3,5-5  |  |     |  |
| ROTO SB 2000 A | 3,5-5  |  |     |  |
| ROTO SB 2500 A | 3,5-5  |  |     |  |

| Elektrický ohřev |        |      |     |      |
|------------------|--------|------|-----|------|
| Model            | (m³/h) | (kW) | (m) | (kW) |
| ROTO BB 1000 E   | -      |      |     |      |
| ROTO BB 1500 E   | -      |      |     |      |
| ROTO BB 2000 E   | -      |      |     |      |
| ROTO BB 2500 E   | -      |      |     |      |
| ROTO SB 1000 E   | 12,44  |      |     |      |
| ROTO SB 1500 E   | -      |      |     |      |
| ROTO SB 2000 E   | -      |      |     |      |
| ROTO SB 2500 E   | -      |      |     |      |

| Ohřev vodou      |        |     |      |      |
|------------------|--------|-----|------|------|
| Model            | (m³/h) | (m) | (kW) | (kW) |
| ROTO BB 1000 P86 | -      |     |      |      |



| Ohřev vodou      |        |     |      |      |      |
|------------------|--------|-----|------|------|------|
| Model            | (m³/h) | (m) | (kW) | (kW) | (kW) |
| ROTO BB 1500 P86 | -      |     |      |      |      |
| ROTO BB 2000 P86 | -      |     |      |      |      |
| ROTO BB 2500 P86 | -      |     |      |      |      |
| ROTO SB 1000 P86 | -      |     |      |      |      |
| ROTO SB 1500 P86 | -      |     |      |      |      |
| ROTO SB 2000 P86 | -      |     |      |      |      |
| ROTO SB 2500 P86 | -      |     |      |      |      |
| ROTO BB 1000 P64 | -      |     |      |      |      |
| ROTO BB 1500 P64 | -      |     |      |      |      |
| ROTO BB 2000 P64 | -      |     |      |      |      |
| ROTO BB 2500 P64 | -      |     |      |      |      |
| ROTO SB 1000 P64 | -      |     |      |      |      |
| ROTO SB 1500 P64 | -      |     |      |      |      |
| ROTO SB 2000 P64 | -      |     |      |      |      |
| ROTO SB 2500 P64 | -      |     |      |      |      |
| ROTO BB 1000 P54 | 36,57  |     |      |      |      |
| ROTO BB 1500 P54 | 15,16  |     |      |      |      |
| ROTO BB 2000 P54 | 38,96  |     |      |      |      |
| ROTO BB 2500 P54 | 24,15  |     |      |      |      |
| ROTO SB 1000 P54 | 14,47  |     |      |      |      |
| ROTO SB 1500 P54 | 21,19  |     |      |      |      |
| ROTO SB 2000 P54 | 30,77  |     |      |      |      |
| ROTO SB 2500 P54 | 36,94  |     |      |      |      |

60Hz

| Neohříváná     |        |     |
|----------------|--------|-----|
| Model          | (m³/h) | (m) |
| ROTO BB 1000 A | 5-7    |     |
| ROTO BB 1500 A | 5-7    |     |
| ROTO BB 2000 A | 5-7    |     |
| ROTO BB 2500 A | 5-7    |     |

| Elektrický ohřev |        |      |     |      |
|------------------|--------|------|-----|------|
| Model            | (m³/h) | (kW) | (m) | (kW) |
| ROTO BB 1000 E   | -      |      |     |      |
| ROTO BB 1500 E   | -      |      |     |      |
| ROTO BB 2000 E   | -      |      |     |      |
| ROTO BB 2500 E   | -      |      |     |      |

| Ohřev vodou      |        |     |      |      |      |
|------------------|--------|-----|------|------|------|
| Model            | (m³/h) | (m) | (kW) | (kW) | (kW) |
| ROTO BB 1000 P86 | -      |     |      |      |      |
| ROTO BB 1500 P86 | -      |     |      |      |      |
| ROTO BB 2000 P86 | -      |     |      |      |      |
| ROTO BB 2500 P86 | -      |     |      |      |      |
| ROTO BB 1000 P64 | -      |     |      |      |      |



| Ohřev vodou      |        |     |      |      |      |
|------------------|--------|-----|------|------|------|
| Model            | (m³/h) | (m) | (kW) | (kW) | (kW) |
| ROTO BB 1500 P64 | -      |     |      |      |      |
| ROTO BB 2000 P64 | -      |     |      |      |      |
| ROTO BB 2500 P64 | -      |     |      |      |      |
| ROTO BB 1000 P54 | 36.57  |     |      |      |      |
| ROTO BB 1500 P54 | 15.16  |     |      |      |      |
| ROTO BB 2000 P54 | 38.96  |     |      |      |      |
| ROTO BB 2500 P54 | 24.15  |     |      |      |      |

Rozměry

Vzduchová clona Rotowind SB-BB1 - Rozměry